


WILDLIFE DESIGN

7 - WIRE PERMANENT PREDATOR




SPECIFICATIONS:

# WIRES:	7
FENCE HEIGHT:	52"
LINE POST:	SOLID ROD FIBERGLASS 72" 7-HOLE SR727
SPACING:	20 FT.
BRACING:	'H' BRACE
POLARITY:	HOT / GROUND
WIRE TENSION:	TIGHT (200 LBS.)
APPLICATIONS:	PREDATOR EXCLUSION DOG COYOTE WOLF

FOR EXCLUSION NOT CONTAINMENT

WILDLIFE DESIGN

7 - WIRE PERMANENT ELK




SPECIFICATIONS:

# WIRES:	7
FENCE HEIGHT:	72"
LINE POST:	SOLID ROD FIBERGLASS 1.2"X 96" 7-HOLE SR967X
SPACING:	60 FT.
STAY: (2 PER LINE POST)	.74"X 73" 7-HOLE SR737
SPACING:	20 FT.
BRACING:	'H' BRACE - 12' MIN. WIDTH
POLARITY:	HOT / GROUND
WIRE TENSION:	TIGHT (200 LBS.)
APPLICATIONS:	ELK EXCLUSION

FOR EXCLUSION NOT CONTAINMENT

WILDLIFE DESIGN

8-WIRE SLANT DEER



15 Wire Deer Fence

